# EU-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

# Certificate N° 0075/2602/162/12/19/3701

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer :

#### RBF

678910

52 rue des Tulipes - 83 700 Saint Raphaël France

# Description PPE Type : Product reference : Article code : Glove description :


Protective motorcycle's glove GLOV19WHI

Gloves made with white full grain leather. Palm reinforced by full grain leather flesh side.

Available sizes :

#### **Pictures**:





Numéro de fiche traçabilité (n° de lot) ajouté au tampon encreur sur le dos de l'étiquette ex : **1281** 

**Reference standard :** 

Levels of performance -Level 1

# EN 420:2003+A1:2009

EN 13594:2015

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 02 dated from January 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

## Issued in Lyon by Didier GUISADO

#### Certification and Quality Manager

Suite

# Date of first issue : 13 December 2019 End of validity date : 13 December 2024 Update 01 : 13 January 2021





www.cofrac.fr

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.

# www.ctcgroupe.com

#### cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

### RBF

# MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product	:	GLOV19WHI
Article code	:	1
Technical file index	:	02
Last update	:	January 2021

# **IDENTIFICATION**

Reference of the product : Article code :	:	GLOV19WHI /
Basic Model Technical file index : Last update :	:	02 January 2021

# Manufacturer :

RBF

52 rue des Tulipes - 83 700 Saint Raphaël France tel : 07 87 23 64 97

#### Factory :

 PEAUCEROS

 ZA du Bois Blanc - La Laimière - 79440 Courlay

 France

 tel:
 05 49 72 24 91

 fax:
 05 49 72 24 36

#### **General glove description :**

Gloves made with white full grain leather. Palm reinforced by full grain leather flesh side.

### Visual description (picture back and palm sides) :



#### Field of use Motorcycle

		Applicable	Covered by
			✓ Standard
§1	Requirements defined in the Annex II §1 are applicable to all PPE		☑ Instruction for use
			☑ Marking
	Manufacturer's instructions and information is available	V	☑ Standard
§1.4			Instruction for use
			✓ Marking
	PPE incorporating adjustements systems		☑ Standard
§2.1			☑ Instruction for use
			☑ Marking
	DDE is designed and manufactured in a way that perenisation resulting from use is		☑ Standard
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	V	☑ Instruction for use
	minimised. Otherwise it must be equipped with means of absorbing perspiration.		Marking
	Where appreciable and rapid deterioration in PPE performance is likely to be		
	caused by ageing resulting from the periodic use of a cleaning process		Standard
	recommended by the manufacturer, the latter must, if possible, affix a marking to		
§2.4	each item of PPE placed on the market indicating the maximum number of		☑ Instruction for use
	cleaning operations that may be carried out before the equipment needs to be		
	inspected or discarded. Where such a marking is not affixed, the manufacturer		✓ Marking
	must give that information in his instructions		
	PPE which may be caught up during use	V	Standard
§2.5			☑ Instruction for use
			Marking
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	7	✓ Standard
§2.12			☑ Instruction for use
			✓ Marking
		V	☑ Standard
§2.14	Multi-risk PPE		☑ Instruction for use
			☑ Marking
	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	7	✓ Standard
§3.1.1			☑ Instruction for use
			✓ Marking
§3.3	The PPE is intended to protect against mechanical injuries		☑ Standard
			☑ Instruction for use
			Marking
Cracific			☑ Standard
Specific application	Motorcycle glove		☑ Instruction for use

#### Available sizes :

Minimum length of glove (mm)	Sizes
220	6
230	7
240	8
250	9
262	10

#### **Glove constitution :**

	Reference	Color	Material (composition)	Surfacic mass (g/m²)	Gauges	Thickness
Palm	111202	White	full grain leather cowhide			0.9 - 1.1
Back	111202	White	full grain leather cowhide			0.9 - 1.1
Fourchette	111202	White	full grain leather cowhide			0.9 - 1.1
Cuff	111202	White	full grain leather cowhide			0.9 - 1.1

#### **PROTECTION SCOPE**

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425.

This glove is designed for motorcycle

It is a category II product.

#### GENERAL REQUIREMENTS

#### Standard EN 420 : 2003 + A1 : 2009

Size : conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

#### SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

#### Motorcycle gloves EN 13594 : 2015

Protection offered	Performance levels
Level	Level 1
Knuckle Protection	

### **TEST REPORTS**

Laboratory	CTC	Other
EN 420 + innocuousness	L180406708_1 L180408303_1 L191019934_1	
EN 13594	L190612795_2 L190715438_1 L190612625_1	

# **MARKING - PACKAGING**

#### Information printed on the glove :

Logo of Manufacturer : Logo CC Glove's reference : GLOV19WHI Article Code : / Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or Serial number :

#### Marking example :



#### Method of marking on the glove :

Hot stamp and ink pad

#### Packaging :

1 pair per wallet

#### PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

#### **Declaration of conformity :**

Available with product.

#### **MEANS OF CONTROL**

All our leather suppliers send us a leather certificate of conformity. This certificate proves the conformity of the leather with the European standards in force for gloves, such as: pH, azo, Cr IV.

In terms of innocuousness, each leather used is tested again by CTC before use in production.

Then we manufacture a number of pair for the performance of motorcycle tests (requirements ergonimic, maitien,

resistance of the seams, resistance to the cut, ...).

After obtaining the AET we can start the production.

The leathers will be visually controlled during 3 stages (the cut, the refining and during the setting in cover), if during one of these stages we observe a leather defect that can influence the final performance of the glove we eliminate. Moreover during refining all the seams of the glove are inspected, if one of them is a problem we remove the glove of the production for repair if possible or destruction if nothing can be done.

After certification, chemical and physical tests are again performed at least once every five years.

The chemical tests performed are pH, azoïque, Cr IV, organo etain and the nickel pressure test.

The physical tests performed are: tear resistance on perforated and solid leather, hard element inclusions, ergonomic requirement, size and length, support, seam resistance, cut resistance and impact abrasion.